




Celtec® Expanded PVC Sheet

<p>Features of Celtec®</p> <ul style="list-style-type: none"> • Printable - Digital and Screen • Light Weight • Easy to Fabricate, Paint or Laminate • Excellent Fastening Characteristics • Excellent Fire Properties 	<p>Competitive Advantages of Celtec®</p> <ul style="list-style-type: none"> • Superior UV Performance • Contains No Heavy Metal • Die Cuttable • Optimal Density for Performance • Short Leadtimes for Custom Sizes and Colors • Oversized Sheets • All Materials Produced in the US
<p>Typical Applications</p> <ul style="list-style-type: none"> • Point of Purchase Displays • Signage • Store Fixtures • Exhibits and Kiosks • Dimensional Letters • Display Boards 	<p>Compliances / Approvals</p> <ul style="list-style-type: none"> • UL 94 V-O • UL-1975 • FDA Incidental Food Contact • RoHS Compliant

Celtec® Colors & Size Availability


COLORS:	THICKNESSES:	FINISH:
① WHITE	1MM - 30MM	SATIN SMOOTH
② BLACK	1MM - 25MM	
③ GRAY	3MM - 12MM	
④ BLUE	3MM - 6MM	
⑤ RED	3MM - 6MM	
⑥ GREEN	3MM - 6MM	
⑦ YELLOW	3MM - 6MM	
⑧ BEIGE	3MM - 6MM	
⑨ STONE	3MM - 6MM	

①




1MM - 30MM

②




1MM - 25MM

③



3MM - 12MM

④ ⑤ ⑥ ⑦ ⑧ ⑨



3MM - 6MM

Color*	Thickness	Width	Length	Weight/Sheet (lbs)
White	1mm	48"	96"	5
	2mm	48"	96"	10
	2mm	48"	120"	12.5
	2mm	60"	120"	16
	3mm	48"	96"	15
	3mm	48"	120"	19
	3mm	60"	96"	19
	3mm	60"	120"	24
	4mm	48"	96"	20
	5mm	48"	96"	25
	6mm	48"	96"	30
	6mm	48"	120"	38
	6mm	60"	96"	38
	6mm	60"	120"	48
	10mm	48"	96"	37
	10mm	48"	120"	47
	10mm	60"	120"	59
	12mm	48"	96"	44
	12mm	48"	120"	55
	12mm	60"	120"	67
	15mm	48"	96"	55
	15mm	48"	120"	69
	19mm	48"	96"	69
19mm	48"	120"	86	
25mm	48"	96"	91	
25mm	48"	120"	118	
Black	1mm	48"	96"	5
	2mm	48"	96"	10
	3mm	48"	96"	15
	3mm	48"	120"	19
	3mm	60"	96"	19
	3mm	60"	120"	24
	5mm	48"	96"	25
	6mm	48"	96"	30
	6mm	48"	120"	38
	6mm	60"	96"	38
	6mm	60"	120"	47
	10mm	48"	96"	37
	12mm	48"	96"	44
	12mm	48"	120"	55
	19mm	48"	96"	69
	19mm	48"	120"	86
	25mm	48"	96"	91
25mm	48"	120"	118	
Gray (PMS 8C) (Darker than Cool Gray)	3mm	48"	96"	15
	6mm	48"	96"	30
	10mm	48"	96"	37
	12mm	48"	96"	44

Color*	Thickness	Width	Length	Weight/Sheet (lbs)
	19mm	48"	96"	69
Cool Gray (PMS 4C)	3mm	48"	96"	15
	6mm	48"	96"	30
Beige	3mm	48"	96"	15
	6mm	48"	96"	30
Yellow (PMS 123C)	3mm	48"	96"	15
	6mm	48"	96"	30
Green (PMS 355C)	3mm	48"	96"	15
	6mm	48"	96"	30
Red (PMS 187C)	3mm	48"	96"	15
	6mm	48"	96"	30
Blue (PMS 287C)	3mm	48"	96"	15
	6mm	48"	96"	30
Light Blue (PMS 2935C)	3mm	48"	96"	15
Violet (PMS Violet C)	3mm	48"	96"	15
Orange (PMS 21C)	3mm	48"	96"	15

- PMS numbers in parentheses are an approximation to give designers a color range.

To place your order, contact Professional Plastics, Inc.

USA Toll-Free (888) 995-7767

Order Online at:

<http://www.professionalplastics.com/CELTECEXPVC>

E-Mail: sales@proplas.com

Locations throughout the USA and Asia to Serve You