ITW Formex 1701 West Armitage Court Addison, IL 60101 Telephone: 630.889.8655 Fax: 630.889.8713

Website: www.itwformex.com





Flame Retardant Materials

IDENTIFICATION

PRODUCT: FORMEX GK-XX (XX denotes nominal thickness in mils)

CHEMICAL NAME: Proprietary Blend

CHEMICAL FAMILY: Flame Retardant Polyolefin Compound

HEALTH INFORMATION

EYE CONTACT: Mechanical irritation due to small pieces.

SKIN CONTACT: Unlikely to cause irritation.

INHALATION: Mechanical irritation due to small pieces. INGESTION: Not a probable route of exposure.

OCCUPATIONAL EXPOSURE LIMITS

No OSHA PEL or ACGIH TLV has been established.

EMERGENCY FIRST AID PROCEDURES

EYE CONTACT: Flush eyes with water; do not rub eyes.

SKIN CONTACT: If contact with molten material occurs, cool rapidly with cold water. Do not attempt to peel

polymer from skin. Obtain medical advice for thermal burn.

INHALATION: Breathe clean air.

INGESTION: Not a probable route of exposure.

If irritation of eyes or skin persists, obtain medical advice.

PHYSICAL DATA

BOILING POINT (°F): NA VAPOR PRESSURE (mm Hg): NA SPECIFIC GRAVITY (H2O=1): 1.035 VAPOR DENSITY (air=1): NA

SOLUBILITY IN H2O: Insoluble

APPEARANCE AND ODOR: Solid sheet, essentially odorless.

FIRE AND EXPLOSION HAZARDS

EXTINGUISHING MEDIA: Water, foam, dry chemicals, or carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Material will not burn unless preheated.

Do not enter confined fire space without a positive pressure NIOSH approved self-contained breathing

apparatus with a full facepiece. Cool fire exposed containers with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Material is a UL recognized 94V-O or VTM-O product.

FORMEX GK.MSDS (Continued)

REACTIVITY

STABILITY: Stable

CONDITIONS AND MATERIALS TO AVOID: Strong oxidizing agents.

EMPLOYEE PROTECTION

RESPIRATORY PROTECTION: Not ordinarily required. PROTECTIVE CLOTHING: Not ordinarily required.

ADDITIONAL PROTECTIVE MEASURES: Avoid prolonged exposure to vapors from molten or near molten product.

Provide adequate ventilation when processing under these conditions.

ENVIRONMENTAL PROTECTION

SPILL OR LEAK PROCEDURES: Shovel, sweep, or vacuum to prevent slipping hazards. Contain material for

reclamation or disposal.

WASTE DISPOSAL: Incineration or landfill in compliance with Federal, State and Local regulations.

REGULATORY CONTROLS

D.O.T. CLASSIFICATION: Not hazardous by D.O.T. regulations.

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR Part 372.

| CAS# | <u>Chemical Name</u> | Percent by Weight |
|-----------|----------------------|-------------------|
| 1309-64-4 | Antimony Oxide | 6.1% |

The information contained herein is based on the data available to us and is believed to be correct. However, Formex makes no warranty express or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Formex assumes no responsibility for injury from the use of the product described herein.