

ADVANCED ENGINEERING
PLASTICS

**SIMPLY NO
SUBSTITUTE**

CONVEYING COMPONENTS




Energy-saving polymers that reduce friction & wear, improve productivity & fill the performance gap left by traditional materials

800-366-0300 | quadrantplastics.com




QUADRANT

Find us online @quadrantepp



CONVEYING COMPONENTS



INDUSTRIAL CHAIN GUIDES FOR ROLLER CHAINS

TIVAR® industrial chain guides are available in TIVAR® 1000, which meets guidelines for food handling, including those from FDA, USDA and 3-A Dairy. TIVAR®'s self-lubricating surface minimizes friction and extends chain life.

CHAIN GUIDE STANDARDS

- 10-foot lengths
 - Single and double-strand chain
 - Natural in color
- (Custom colors and triple-strand designs also available)



TIVAR® CHAIN GUIDE




FIG A





FIG B





FIG C






FIG D



CATALOG NO.	FIGURE DESC.	ASA CHAIN NO.	T MIN.(IN)	B(IN)	C(IN)	D(IN)	E(IN)	F(IN)
EUHC1040	A	2040	5/16	1 1/4	1/8	-	7/8	-
EUHC1050	A	2050	3/8	1 1/4	5/32	-	1	-
EUHC1060	A	2060	3/8	1 1/2	3/16	-	1 1/4	-
EUHC1080	A	2080	1/2	2	1/4	-	1 9/16	-
EUHC1100	A	2100	5/8	2 1/4	5/16	-	1 7/8	-
EUHC1120	A	2120	5/8	2 3/4	3/8	-	2 1/4	-
EUHC1003	A	H78/S188	1 1/4	4 1/4	7/8	-	3 1/2	-
EUHC1004	A	81X/1578	1	3	5/8	-	2 1/2	-
EUHC0040	B	2040	5/16	1 1/4	1/8	-	7/8	-
EUHC0050	B	2050	3/8	1 1/4	5/32	-	1	-
EUHC0060	B	2060	3/8	1 1/2	3/16	-	1 1/4	-
EUHC0080	B	2080	1/2	2	1/4	-	1 9/16	-
EUHC0100	B	2100	5/8	2 1/4	5/16	-	1 7/8	-
EUHC0120	B	2120	5/8	2 3/4	3/8	-	2 1/4	-
EUHC2040	C	2040	5/16	1	0.140	0.080	11/16	1/4
EUHC2050	C	2050	3/8	1 1/4	3/16	0.100	13/16	5/16
EUHC2060	C	2060	1/2	1 1/2	0.213	0.115	1 1/8	7/16
EUHC2080	C	2080	1/2	2	1/4	0.130	1 7/16	9/16
EUHC5040	D	2040	5/16	1	0.080	-	-	1/4
EUHC5050	D	2050	5/16	1 1/4	0.100	-	-	5/16
EUHC5060	D	2060	5/16	1 1/4	0.115	-	-	7/16
EUHC5080	D	2080	3/8	1 1/2	0.130	-	-	9/16
EUHC5100	D	2100	1/2	2	0.210	-	-	11/16
EUHC5120	D	2120	1/2	2 1/4	0.260	-	-	15/16

- USDA/FDA/3-A Dairy approved
- Quiet: Reduces noise
- For use with plastic or metal chain





INDUSTRIAL CHAIN GUIDES FOR ROLLER CHAINS


TIVAR® CHAIN GUIDE

CATALOG NO.	FIGURE	DESC.	ASA CHAIN NO.	T MIN.(IN)	B(IN)	C(IN)	D(IN)	E(IN)	F(IN)
EUHC6040	E		2040	5/16	1	0.080	-	-	1/4
EUHC6050	E		2050	5/16	1 1/4	0.100	-	-	5/16
EUHC6060	E		2060	5/16	1 1/4	0.115	-	-	7/16
EUHC6080	E		2080	3/8	1 1/2	0.130	-	-	9/16
EUHC6100	E		2100	1/2	2	0.210	-	-	11/16
EUHC6120	E		2120	1/2	2 1/4	0.260	-	-	15/16

FIG E



ULTRATRAC CHAIN GUIDES FOR ROLLER CHAINS



TYPE T

ULTRATRAC CHAIN GUIDES FOR ROLLER CHAINS

- Sanitary: USDA/FDA
- Extends chain life
- Minimizes friction
- Quiet: Reduces noise
- Cost effective



TYPE T • ANSI STANDARD ROLLER CHAIN

CATALOG NO.	ANSI CHAIN #	B	T	W	t
EUHU2825	25	.78	.59	.10	.09
EUHU2835	35	.78	.59	.17	.10
EUHU2840	40	.78	.59	.29	.10
EUHU2850	50	.78	.59	.35	.12
EUHU2860	60	1.10	.59	.47	.15
EUHU2880	80	1.34	.71	.60	.18
EUHU2810	100	1.61	1.00	.72	.26
EUHU2812	120	2.01	1.25	.96	.31
EUHU2814	140	2.17	1.50	.96	.36
EUHU2816	160	2.61	1.50	1.21	.42
EUHU2818	180	2.88	1.50	1.35	.47




FIG A

TYPE TD




FIG B

TYPE TD • DOUBLE STRAND ANSI STANDARD ROLLER CHAIN


CATALOG NO.	ANSI CHAIN #	B	T	W	t	E	FIG.
EUHU2925	25-2	.78	.59	.10	.09	.15	A
EUHU2935	35-2	.78	.59	.17	.10	.23	A
EUHU2940	40-2	.85	.59	.29	.10	.27	B
EUHU2950	50-2	1.07	.59	.35	.12	.37	B
EUHU2960	60-2	1.34	.59	.47	.15	.40	B
EUHU2980	80-2	1.75	.71	.60	.18	.55	B

Standard lengths of TIVAR® profiles are 120". Standard profile color is green. (TYPE T & TD)

Also available for triple strand chain. (TYPE TD)

TYPE U • ANSI STANDARD ROLLER CHAIN


CATALOG NO.	ANSI CHAIN #	B	T	T2	T3	D1	H
EUHU3025	25	.78	.59	.09	.13	.12	.27
EUHU3035	35	.78	.59	.15	.22	.16	.39
EUHU3040	40	.78	.59	.18	.26	.21	.51
EUHU3050	50	1.10	.71	.24	.35	.28	.67
EUHU3060	60	1.10	.71	.28	.41	.32	.78
EUHU3080	80	1.50	.79	.30	.47	.43	1.04



TYPE U

TYPE K • ANSI STANDARD ROLLER CHAIN

CATALOG NO.	ANSI CHAIN #	B	T	W	T2	T3	D1	H
EUHU3125	25	.78	.88	.10	.20	.24	.15	.27
EUHU3135	35	.78	.88	.17	.32	.40	.22	.39
EUHU3140	40	1.10	1.05	.29	.45	.52	.33	.51
EUHU3150	50	1.50	1.43	.35	.55	.61	.42	.67
EUHU3160	60; 60H	1.50	1.85	.47	.76	.88	.49	.78
EUHU3180	80; 80H	1.50	2.45	.60	.96	1.19	.65	1.04



TYPE K


ULTRATRAC CHAIN GUIDES

ULTRATRAC CHAIN GUIDES WITH STEEL PROFILES

TYPE CF • FLAT PROFILE

CATALOG NO.	METAL PROFILE	T	Tc	B	t
EUHU3201	C3	.59	.79	.78	.40
EUHU3202	C5	.79	1.03	1.10	.56
EUHU3203	C9	.79	1.16	1.50	.45
EUHU3204	C5	.39	.63	1.10	.16


TYPE CF



TYPE CT • ANSI STANDARD ROLLER CHAIN

CATALOG NO.	ANSI CHAIN #	METAL PROFILE	T	Tc	B	W	t
EUHU3325	25	C3	.59	.79	.78	.10	.09
EUHU3335	35	C3	.59	.79	.78	.17	.10
EUHU3340	40	C3	.59	.79	.78	.29	.10
EUHU3350	50	C3	.59	.79	.78	.35	.12
EUHU3360	60	C5	.59	.79	1.10	.46	.15
EUHU3380	80	C5	.71	.95	1.34	.60	.18


TYPE CT



TYPE CU • ANSI STANDARD ROLLER CHAIN

CATALOG NO.	ANSI CHAIN #	METAL PROFILE	T	Tc	B	H	S
EUHU3525	25	C3	.59	.79	.78	.27	.09
EUHU3535	35	C3	.59	.79	.78	.39	.15
EUHU3540	40	C3	.59	.79	.78	.51	.18
EUHU3550	50	C5	.71	.95	1.10	.67	.24
EUHU3560	60	C5	.71	.95	1.10	.78	.28
EUHU3580	80	C9	.79	1.16	1.50	1.04	.30

TYPE CU





Standard lengths of TIVAR® profile and steel C-Channel are 120". (TYPE CF, CT, CU & CTD)
Also available for triple strand chain. (TYPE CTD)


TYPE CTD • DOUBLE STRAND ANSI STANDARD ROLLER CHAIN

CATALOG NO.	ANSI CHAIN #	C-PROFILE	T	Tc	B	W	t	E	FIG.
EUHU3425	25-2	C3	.59	.79	.78	.10	.09	0.15	A
EUHU3435	35-2	C3	.59	.79	.78	.17	.10	0.23	A
EUHU3440	40-2	C3	.59	.79	.85	.29	.10	-	B
EUHU3450	50-2	C5	.59	.79	1.06	.35	.12	-	B
EUHU3460	60-2	C5	.59	.79	1.34	.47	.15	-	B
EUHU3480	80-2	C9	.71	.95	1.75	.60	.18	-	B

TYPE CTD



ULTRATRAC CHAIN GUIDES WITH STEEL PROFILES



Standard lengths of TIVAR® profile and steel C-Channel are 120". (TYPE CK & CKG)


ULTRATRAC CHAIN GUIDES

TYPE CK • ANSI STANDARD ROLLER CHAIN


CATALOG NO.	ANSI CHAIN #	METAL PROFILE	Tc	B	W	d1
EUHU3625	25	C3	.94	.78	.10	.15
EUHU3635	35	C3	.94	.78	.17	.22
EUHU3640	40	C5	1.13	1.10	.29	.33
EUHU3650	50	C9	1.53	1.50	.35	.42
EUHU3660	60	C9	1.95	1.50	.47	.49
EUHU3680	80	C9	2.55	1.50	.60	.65

TYPE CKG • ANSI STANDARD ROLLER CHAIN

CATALOG NO.	ANSI CHAIN #	METAL PROFILE	Tc	Tc1	B	W	W1	d1
EUHU3725	25	C9	.71		1.50	.10		.15
EUHU3735	35	C10	.94		1.18	.17		.22
EUHU3740	40	C10	.94		1.18	.29		.33
EUHU3750	50	C10	.94		1.18	.35		.42
EUHU3760	60	C10		1.02	1.18		.47	.49
EUHU3761	60	C11	1.58		1.77	.47		.49
EUHU3780	80	C11	1.58		1.771	.60		.65



TYPE CK



TYPE CKG


ULTRATRAC STEEL PROFILES

ULTRATRAC STEEL PROFILES

UltraTrac profiles are sold only in complete assemblies with TIVAR® chain guide or belt guide inserts. Standard profile lengths are 120”.

Right for your environment. UltraTrac profiles are available in both stainless steel (for food handling) and galvanized steel.

Easy, economical mounting. Simply screw or weld UltraTrac profiles into place.



10 ft. lengths (GALVANIZED STEEL C-PROFILE & 304 STAINLESS STEEL C-PROFILE)


GALVANIZED STEEL C-PROFILE

PROFILE NO.	B	b	H	S
C3	.780	.390	.390	.060
C5	1.100	.550	.470	.075
C9	1.500	.870	.710	.100
C10	1.180	.790	.940	.060
C11	1.772	1.22	1.575	.079



304 STAINLESS STEEL C-PROFILE

PROFILE NO.	B	b	H	S
C3	.780	.390	.390	.060
C5	1.100	.550	.470	.075
C9	1.500	.870	.710	.100
C10	1.180	.790	.940	.060
C11	1.772	1.22	1.575	.079

CHANNEL #
C3, C5, C9




CHANNEL #
C10, C11



TIP

MOUNTING: Remember the effects of heat when you plan for assemblies of steel and plastic materials. The assembly suggested above accommodates the relatively large linear expansion coefficient of plastic materials. As a rule, the expansion for TIVAR® = .0001 inches / inch / °F. In cases of large temperature fluctuations, we recommend using short slide rails to minimize the width of slots. Slide rails should be fastened to the C-channel to prevent displacement in the direction of travel as illustrated above.

ULTRATRAC BELT GUIDES




TYPE V

ULTRATRAC BELT GUIDES

TIVAR® belt guides are an excellent low-friction surface for rubber and urethane, belts or cables. TIVAR® belt guides are also available in metric sizes for round and V-belts. Belt guides are available with or without steel profiles.

TYPE V • TIVAR® V-BELT GUIDES

CATALOG NO.	BELT	T	B	D	H
EUHU2208	M	.38	.75	.25	.13
EUHU2210	Z	.38	.75	.28	.19
EUHU2213	A	.50	.75	.38	.25
EUHU2217	B	.63	1.25	.47	.31
EUHU2220	-	.75	1.25	.53	.38
EUHU2222	C	.75	1.38	.56	.44
EUHU2225	-	1.00	1.50	.66	.50



TYPE CV

TYPE CV • V-BELT GUIDE: GALVANIZED STEEL PROFILE


CATALOG NO.	BELT	METAL PROFILE	T	B	C	Tc	D	H
EUHU1425	M	C3	.59	.78	.19	.79	.25	.13
EUHU1428	Z	C3	.59	.78	.19	.79	.28	.19
EUHU1438	A	C3	.59	.78	.19	.79	.38	.25
EUHU1447	B	C5	.81	1.10	.22	1.04	.47	.31
EUHU1453	-	C5	.81	1.10	.22	1.04	.53	.38
EUHU1456	C	C5	.81	1.10	.22	1.04	.56	.44
EUHU1466	-	C9	1.00	1.50	.33	1.38	.66	.50

Standard lengths of TIVAR® 1000.

Other materials available upon request. (TYPE V & R)

Also available with stainless steel C-Profile.


Standard lengths of TIVAR® 1000. Other materials available upon request. (TYPE CV & CR)



TYPE R

TYPE R • TIVAR® ROUND BELT GUIDES

CATALOG NO.	BELT	T	B	D	H
EUHU2005	3/16	.38	.75	.25	.13
EUHU2006	1/4	.38	.75	.31	.16
EUHU2008	5/16	.50	.75	.38	.19
EUHU2010	3/8	.63	1.00	.44	.22
EUHU2012	1/2	.75	1.25	.56	.28
EUHU2015	5/8	1.00	1.25	.69	.35
EUHU2018	3/4	1.00	1.50	.81	.41



TYPE CR

TYPE CR • ROUND BELT GUIDE: GALVANIZED STEEL PROFILE



CATALOG NO.	BELT	METAL PROFILE	T	B	C	Tc	D	H
EUHU1125	3/16	C3	.59	.78	.19	.79	.25	.13
EUHU1131	1/4	C3	.59	.78	.19	.79	.31	.16
EUHU1138	5/16	C3	.59	.78	.19	.79	.38	.19
EUHU1144	3/8	C5	.59	1.10	.27	.79	.44	.22
EUHU1156	1/2	C5	.59	1.10	.22	.79	.56	.28
EUHU1169	5/8	C5	.75	1.10	.22	.94	.69	.35
EUHU1181	3/4	C5	1.00	1.10	.33	1.25	.81	.41

TIVAR® GUIDE RAILS AND WEARSTRIPS


TIVAR® GUIDE RAILS AND WEARSTRIPS

Excellent for:


- Modular belts
- Steel grate bakery chains
- Flat top conveyor chains



EPP634



EPP861




STEEL BELTING



EXTRUDED CLIP-ON WEAR STRIPS (J-LEG)

CATALOG NO.	T	B	STOCK LENGTHS (FT.)	CATALOG NO.	T	B	STOCK LENGTHS (FT.)
EPP601	3/16	3/4	Non-Stock	EPP622	1/8	1 1/2	10' 20'
EPP602	3/16	1	10' 20' 100'	EPP623	1/8	2	10' 20'
EPP636	3/16	1 1/2	10' 20'	EPP624	1/4	3/4	10' 20'
EPP603	3/16	2	10' 20'	EPP625	1/4	1	10' 20'
EPP604	3/16	2 1/2	Non-Stock	EPP626	1/4	2	10' 20'
EPP605	3/16	2 7/8	10' 20'	EPP627	1/4	2 7/8	Non-Stock
EPP606	3/16	3	10' 20'	EPP628	1/4	3	10' 20'
EPP620	1/8	3/4	10' 20'	EPP634	1/8	15/16	Non-Stock
EPP621	1/8	1	10' 20'	EPP861	1/8	3/4	Non-Stock

Fits 12 gauge rail size




FLAT TOP CHAINS


BAR SNAP-ONS

CATALOG NO. STOCK LENGTHS (FT.)


EPP801	10' 100' 250' 500' Coils	EPP805	Non-Stock
EPP802	10' 100'	EPP806	10' 100' Coils
EPP803	10' 100' 250' 500' Coils	EPP850	Non-Stock
EPP804	10' 100' 250' Coils	EPP851	10' 100' 250' Coils




MODULAR BELTING




EPP801 • 1/4"




EPP802 • 5/16"




EPP803 • 5/16"




EPP804 • 1/8"




EPP805 • 13/64"



EPP806 • 5/64"




EPP850 • 1/8"



EPP851 • 1/8"

TIVAR® GUIDE RAILS AND WEARSTRIPS




WEARMAX


CATALOG NO. STOCK LENGTHS (FT.)

EPP824	Non-Stock
EPP825	Non-Stock
EPP834	10'


TIVAR® GUIDE RAILS AND WEARMAX/C-CHANNELS



EPP824 • 1/8"



EPP825 • 3/16"



EPP834 • 1/8"



GUIDE RAIL SNAP-ON

CATALOG NO. STOCK LENGTHS (FT.)


EPP702	10' 20'
EPP703	10' 20'
EPP704	10' 20'
EPP705	10' 20'
EPP707	10' 20'
EPP708	10'

CATALOG NO. STOCK LENGTHS (FT.)


EPP401	10'
EPP903	10' 20'
EPP706	10'
EPP904	10' 20'
EPP951	10' 50'




EPP702 • 1/4" x 1"




EPP703 • 1/4" x 2"




EPP704 1/2" x 1 1/2"




EPP705 • 1" x 1"




EPP707 • 1 1/2" x 2"




EPP708 • 1/2" x 2"




EPP401 • 9/64" x 1 1/8"




EPP706 • .562" x 1.125"



EPP903 • .101" x .515"



EPP904 • .101" x 13/16"



EPP951 • 1/8" x 1/4"


Standard stock is TIVAR® 1000 natural.
Also available in other premium
TIVAR® formulations.

TIVAR® GUIDE RAILS FULL & HALF ROUNDS


TIVAR® GUIDE RAILS FULL & HALF ROUNDS

FULL ROUND


CATALOG NO.	STOCK LENGTHS (FT.)
EPP350	10'
EPP351	10' 100' 250' Coils
EPP352	10' 100' Coils



EPP350 • 5/8"




EPP351 • 1/2"




EPP352 • 3/8"

HALF ROUND


CATALOG NO.	STOCK LENGTHS (FT.)
EPP300	Non-Stock
EPP301	10' 100' 250' Coils
EPP302	10' 100' 250' Coils
EPP303	10' 100' Coils



EPP300 • 3/4"




EPP301 • 3/4"




EPP302 • 5/8"

HALF ROUND WITH FLAT

CATALOG NO.	STOCK LENGTHS (FT.)
EPP304	10'




EPP303 • 1/2"



EPP304 • 3/4" F




TIVAR® GUIDE RAILS AND WEARSTRIPS



TIVAR® GUIDE RAILS & WEARSTRIPS/ U-CHANNELS, RIGHT ANGLES & DOGBONES

U-CHANNELS


CATALOG NO.	A (IN)	B (IN)	C (IN)	D (IN)	STOCK LENGTHS (FT.)
EP101	7/8	1 1/4	3 1/2	4 1/4	10' 20'
EP102	5/8	1	2 1/2	3	10' 20'
EP103	5/8	1	2	2 1/2	10'
EP104	5/8	1	1 1/2	2	10'
EP105	1/2	7/8	1	1 1/2	10'
EP106	3/8	3/4	1/2	1	10'
EP111	5/8	1	2 1/4	3	10'
EPP112	0.605	0.730	1	1 1/4	10'
EP113	3/4	1	0.45	1	Non-Stock



U CHANNELS

RIGHT ANGLES


CATALOG NO.	A	R1	B	R2	C	STOCK LENGTHS (FT.)
EP201	1/4	.100	1 1/2	.125	1 1/2	10'
EP202	1/4	.040	2	.156	2	10'
EP203	1/2	.094	3	.250	3	10'
EP208	1/2	-	3 1/2	.250	3 1/2	10'
EP210	1/4	1/16	5/8	1/8	1 1/2	10'
EP220	1/8	.093	1	.140	1	Non-Stock
EP221	1/8	.093	1 1/2	.140	1 1/2	Non-Stock
EP222	1/8	.093	2	.140	2	Non-Stock



RIGHT ANGLES

DOGBONE WEARSTRIP

CATALOG NO.	STOCK LENGTHS (FT.)
EP501	10'



DOGBONE WEARSTRIP
EP501 • 3/4" x 3 1/4"

TIVAR® BOARD STOCK, ROD & TUBE SEMI-FINISHED PRODUCT

Many TIVAR extruded rods and tubes are sized to allow for machining to a given diameter.



EXCELLENT FOR:

- Bearings and bushings
- Rollers
- Gears
- Cams and cam guide parts
- Timing and feed screws

TIVAR® EXTRUDED TAPE & BOARD (NATURAL WHITE)

PART NO.	THICKNESS (in.)	WIDTH (in.)
EP1006	1/10	3
EP2005	.219	2-1/2
EP3005	1/4	2
EP3006	1/4	3
EP3007	1/4	4
EP3010	1/4	7
EP4003	3/8	1
EP4005	3/8	2-5/8
EP4006	3/8	3
EP5007	1/2	4
EB5008	1/2	5
EB5009	1/2	6
EP5010	1/2	7
EB5015	1/2	12
EB7006	1	3
EB7008	1	5
EB7017	1	14
EB7101	1 1/8	2 5/8
EB7102	1 1/8	3 1/4
EB7103	1 1/8	4 1/8
EB7201	1 1/4	2 1/4
EB7219	1 1/4	16
EB7508	1 1/2	5
EB7511	1 1/2	8
EB7513	1 1/2	10
EB7517	1 1/2	14
EB8011	2	8
EB8013	2	10
EB8017	2	14
EB8022	2	20
EB8512	2-1/2	9
EB8529	2-1/4	26

EXTRUDED ROD

PART NO. DIMENSIONS IN DIAMETER

ER50	.250
ER60	.375
ER69	.500
ER70	.625
ER71	.750
ER73	1.000
ER74	1.250
ER741	1.375
ER75	1.500
ER76	1.750
ER77	2.000
ER78	2.250
ER781	2.375
ER79	2.500
ER80	2.750
ER81	3.000
ER82	3.250
ER83	3.500
ER84	3.750
ER85	4.000
ER86	4.250
ER87	4.500
ER88	5.000
ER89	5.500
ER90	6.000
ER91	6.500
ER92	7.000
ER94	8.000
ER96	9.000
ER98	10.000

EXTRUDED RODS AND TUBES AVAILABLE IN:

- TIVAR 1000 natural and premium formulations
- Color matched in 14 standard colors for timing and feed screws

EXTRUDED TUBING

PART NO. DIMENSIONS IN INCHES SIZE

ET080	.875 x .250
ET085	.875 x .375
ET100	1.000 x .500
ET101	1.000 x .750
ET102	1.000 x .625
ET103	.750 x .375
ET111*	1.000 x .563
ET124	1.250 x .750
ET125	1.250 x .625
ET126*	1.250 x .563
ET127	1.250 x 1.000
ET130	1.375 x .625
ET131	1.375 x .750
ET132	1.375 x 1.000
ET151	1.500 x .500
ET152	1.500 x 1.000
ET154	1.500 x 1.125
ET160	1.625 x 1.250
ET180	1.875 x 1.125
ET181	1.875 x 1.250
ET200	2.000 x 1.000
ET201	2.000 x 1.500
ET202	2.000 x 1.250
ET203	2.000 x 1.750
ET204	2.000 x 1.375
ET210	2.250 x 1.750
ET202	2.250 x 1.875
ET230	2.375 x 1.750
ET251	2.500 x 1.500
ET252	2.500 x 2.000
ET253	2.500 x 1.000
ET260	2.625 x 2.250
ET270	2.750 x 2.000
ET300	3.000 x 2.000
ET301	3.000 x 2.500
ET310	3.125 x 2.750
ET350	3.500 x 2.500
ET351	3.500 x 3.000
ET400	4.000 x 3.000
ET401	4.000 x 3.500
ET451	4.500 x 4.000
ET500	5.000 x 4.000
ET501	5.000 x 4.500
ET549*	5.500 x 4.375
ET551	5.500 x 4.750
ET625	6.250 x 5.750
ET860	8.625 x 7.875
ET950*	9.500 x 8.250

*Non-Stock. Minimums may apply.

Coils are available in all 1/4" board sizes and smaller.
Other sizes up to 40 ft. lengths. Minimums may apply



QUADRANT

You inspire ... we materialize®

QUADRANT ENGINEERING PLASTIC PRODUCTS WORLDWIDE

Quadrant has extensive product and machining resources available online. Our website is a portal to a wealth of technical data and the easiest way to engage our application specialists. Our team stands ready to help offer solutions to your toughest problems.

NORTH AMERICA

2120 Fairmont Avenue
PO Box 14235 - Reading, PA 19612-4235
Tel 800 366 0300 / +1 610 320 6600
Fax 800 366 0301 / +1 610 320 6868
e-mail: americas.epp@qplas.com

EUROPE

Quadrant EPP AG
Hardstrasse 5
CH-5600 Lenzburg
Tel +41 (0) 62 8858150
Fax +41 (0) 62 8858181
e-mail: info@qplas.com

ASIA - PACIFIC

108 Tai To Tsuen, Ping Shan
Yuen Long - N.T. Hong Kong
Tel +852 (0) 24702683
Fax +852 (0) 24789966
e-mail: asia.epp@qplas.com

**BELGIUM | FRANCE | GERMANY | HONG KONG | HUNGARY | INDIA | ITALY | JAPAN
KOREA | MEXICO | POLAND | SOUTH AFRICA | SWITZERLAND | THE NETHERLANDS
UNITED KINGDOM | UNITED STATES OF AMERICA**

Distributed By:



All statements, technical information and recommendations contained in this publication are presented in good faith, based upon tests believed to be reliable and practical field experience. The reader is cautioned, however, that Quadrant Engineering Plastic Products does not guarantee the accuracy or completeness of this information and it is the customer's responsibility to determine the suitability of Quadrant's products in any given application. Acetron, CleanStat, Corzan, Duraspin, Duratron, Erta, Ertacetel, Ertalene, Ertalon, Ertalyte, Extreme Materials, Fluorosint, Ketron, MC, Monocast, Novatron, Nylatrack, Nylatron, Polypenco, Proteus, Sanalite, Semitron, Techtron, TIVAR, Ultrawear and Vibratuf are registered trademarks of the Quadrant group of companies.

*VespeI, Delrin and Teflon are registered trademarks of E.I. DuPont

*Udel, Duratron PAI and Quadrant PPSU are registered trademarks of Solvay Advanced Polymers

*Duratron PEI, Noryl and Lexan are registered trademarks of GE Plastics

*Duratron CU60 PBI is a registered trademark of PBI Performance Products, Inc.

*Kynar is a registered trademark of Arkema

*Corzan is a registered trademark of Noveon

Design and content are protected by copyright law.
Copyright © 2014 The Quadrant group of companies. All rights reserved.
06080000048 7/14 2500



**SIMPLY NO
SUBSTITUTE**

LEARN MORE

quadrantplastics.com